

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau



A33

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification <sup>7</sup> : A23L 1/0522</p>	<p>A1</p>	<p>(11) International Publication Number: WO 00/05973 (43) International Publication Date: 10 February 2000 (10.02.00)</p>
<p>(21) International Application Number: PCT/NL99/00477 (22) International Filing Date: 26 July 1999 (26.07.99) (30) Priority Data: 98202591.8 31 July 1998 (31.07.98) EP (71) Applicant (for all designated States except US): COÖPERATIEVE VERKOOP- EN PRODUCTIEV- ERENIGING VAN AARDAPPELMEEL EN DERIVATEN AVEBE B.A. [NL/NL]; Beneden Oosterdiep 27, NL-9641 JA Veendam (NL). (72) Inventors; and (75) Inventors/Applicants (for US only): THÜRKOW, Roelfina, Willemina, Antonia [NL/NL]; Sabotagelaan 36, NL-9727 CN Groningen (NL). BUWALDA, Pieter, Lykle [NL/NL]; Mondriaanstraat 32, NL-9718 MJ Groningen (NL). (74) Agent: OTTEVANGERS, S., U.; Verenigde Octrooibureaux, Nieuwe Parklaan 97, NL-2587 BN The Hague (NL).</p>		<p>(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  Published With international search report.</p>

(54) Title: HEAT-STABLE HIGH-AMYLOPECTIN STARCH

(57) Abstract

The invention relates to starch used in the baking-industry. Creams, (fruit-) fillings, toppings, glazes and other bakery products are often thickened by the inclusion of a certain amount of starch as binder, filling or thickening agent, for example providing gel-strength, viscosity, glaze, texture or creaminess to the cream or filling. Commonly used starches have insufficient stability to for example heat applied during baking. The invention provides a starch-containing filling or topping for a bakery product wherein said starch comprises a tuber or root starch containing less than about 5 % amylose and use of such a filling or topping for improving a bakery product. Furthermore, the invention provides a heat-stable starch and bakery products comprising a heat-stable starch.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## HEAT-STABLE HIGH-AMYLOPECTIN STARCHII

The invention relates to starch used in the baking-  
industry in starch-containing fillings or toppings, such as  
bakery cream, Swiss cream, fruit filling, savoury or sweet  
pie filling, almond paste filling, choux pastry filling,  
5 pizza topping, glazes on pastry or snacks and such.

Creams, fruit- or piefillings, toppings, glazes and  
other fillings or toppings for use in bakery products are  
often thickened by the inclusion of a certain amount of  
starch as binder, filling or thickening agent, for example  
10 providing gel-strength, viscosity, glaze, texture or  
creaminess to the cream or filling.

Many factors influence a decision to apply a particular  
ingredient or additive in a bakery product. These may include  
functional properties, cost or, perhaps most importantly, the  
15 regional preference for taste, mouth feel and texture.  
Moreover many different processing technologies are used in  
the baking industry also affecting the properties of the  
bakery product.

Starches are widely applied in fruit fillings, creams,  
20 other fillings, topics and glazes often in conjunction with  
hydrocolloids such as alginates, pectin, gelatin and others.  
In cold prepared fruit fillings, a starch should provide  
clarity, rapid viscosity built-up and a smooth shiny  
appearance. If a pulpy, more fruity appearance is required  
25 this can be achieved by applying coarser products. In cook up  
preparations the clarity and shininess are of importance as  
well and a partial pectin replacement is sometimes possible.

In bakery creams, starches should impart high viscosity,  
and a creamy sensation in the mouth as well as give a creamy  
30 and shiny appearance. For almond paste fillings, coarsely  
ground instant starch derivatives are often applied. And for

savory fillings such as in pizza toppings a wide range of derivatives is known.

In all these applications the filling or topping should have a certain resistance towards the baking process. For instance, if a bakery cream loses its viscosity during the baking the cream simply runs out of the product giving the product an unpalatable appearance.

Often, in a bakery cream, apart from starch derivatives, other hydrocolloids, in particular alginates, are applied for the gelling properties. The baking stability of a cream may be improved by applying an alginate with a higher temperature resistance. However, this leads to products with a less desirable texture, often being somewhat foamy or sometimes being even brittle after baking, therefore, preferably alginates or other heat-stable hydrocolloids are used sparingly as additives to a bakery product.

Today's industry becomes increasingly demanding of derivatives used in bakery products with respect to baking stability, and acid- and shear stability. Modern bakeries work with high temperatures, e.g. 30 minutes baking at 200 °C is not uncommon, still the cream, topping, glazing or filling should not run out. In general, waxy corn starches and derivatives thereof are used in bakery products, since these tend to have a somewhat higher baking stability than (derivatives from) common potato starch or common corn starch, which are commonly used in the food industry, despite the fact that corn starches in general are less viscous and thus need to be applied in higher dose, and often have a prominent, not always appreciated taste, which is an additional disadvantage over potato starch. Furthermore, even waxy corn (maize) starch loses its stability, gel-strength or viscosity under most of today's baking conditions, demonstrating that heat-stable starches are needed.

The invention provides a starch-containing filling or topping for a bakery product wherein said starch comprises a

tuber or root starch having an amylopectine:amylose ratio of at least 90:10, preferably at least 95:5, more preferably at least 99:1.

5 Starches, both of the common variety containing both amylose and amylopectin, obtained from cereals or from tubers or roots and of the waxy variety, obtained from cereals, are widely used in foodstuff.

Common starch consists of two major components, an, in essence, linear  $\alpha(1-4)$ D-glucan polymer (branching is found at a low level) and an elaborately branched  $\alpha(1-4$  and  $1-6)$ D-glucan polymer, called amylose and amylopectin, respectively. Amylose has, in solution, a helical conformation with a molecular weight of  $10^4 - 10^5$ , or higher. Amylopectin consists of short chains of  $\alpha$ -D-anhydroglucopyranose units primarily linked by (1-4) bonds with (1-6) branches and with a molecular weight of up to  $10^7$ , or higher.

Amylose/amylopectin ratios in native starches in plants are generally anywhere at 10-40 amylose/90-60% amylopectin, also depending on the variety of plant studied. In a number of plant species mutants are known which deviate significantly from the above mentioned percentages. These mutants have long been known in maize (corn) and some other cereals. Waxy corn or waxy maize has been studied since the beginning of this century. Therefore, the term waxy starch has often been equated with amylose free starch, despite the fact that such starch was in general not known from other starch sources such as potato but mainly derived from corn. Furthermore, industrial use of an amylose free potato starch (containing essentially only amylopectin molecules) has never occurred, certainly not on the large scale and with such a wide range of applications as seen with waxy starch from corn.

30 The invention now provides a filling or topping for a bakery product wherein said starch comprises a tuber or root

starch having a amylopectine:amylose ratio of at least 90:10, preferably at least 95:5, more preferably at least 99:1 having improved stability over fillings or toppings commonly used in the baking industry. Said improved stability for example relates to freeze-thaw stability or storage of the filling or topping. In a preferred embodiment of the invention a filling or topping is provided having improved heat stability over fillings or toppings commonly used in the baking industry. (A tuber or root starch having a amylopectine:amylose ratio of at least 90:10, preferably at least 95:5, more preferably at least 99:1 is herein also called a heat-stable starch).

In a preferred embodiment a filling or topping according to the invention is provided wherein said tuber or root starch comprises a potato starch. Amylose production in a plant is among others regulated by the enzyme granule-bound starch synthase (GBSS), which is involved in generating the amylose content of starch, and it has been found that many of the available waxy plant mutants lack this enzyme or its activity, thereby causing the essentially exclusive amylopectin character of these mutants. Although in general not (yet) industrially used, amylose free potato mutants are available for starch production, producing a starch containing essentially only amylopectin molecules.

An example of a heat-stable starch provided by the invention is a starch obtained from an amylose-free potato plant which is for example lacking GBSS activity or GBSS protein altogether, thereby lacking amylose and having essentially only amylopectin molecules.

In another embodiment of the invention a filling or topping is provided wherein said tuber or root starch is derived from a genetically modified plant such as a potato, yam, banana or cassava having reduced amylose content or comprising essentially only amylopectin molecules. Genetic

modification of plants is a skill available to the artisan, and for example involves modification, deletion of or insertion in or (antisense) reversion of (parts of) a gene, such as a gene encoding granule-bound starch synthase (GBSS), which is involved in determining the amylose content of starch. In order to manipulate such crop plants, efficient transformation systems and isolated genes are available, especially of potato, and others are found by analogy. Traits, such as absence of amylose, that are introduced in one variety of a crop plant can easily be introduced into another variety by cross-breeding.

In the experimental part of this description, a filling or topping for a bakery product is provided comprising a heat-stable starch obtained from a genetically modified or amylose-free potato. Use of starch from genetically engineered crops has in general been suggested from the time on it was possible to genetically modify such crops (see i.e. Bruinenberg et al., Chemistry and Industry, 6 November 1995, page 881-884; de Vries, Foodmarketing and Technology, April 1997, page 12-13)). Specific use of amylopectin-type potato starch as filling or viscosity agent in canning has been suggested in WO/97/03573 to prevent undesired residual viscosity seen with commonly used starch. Furthermore, EP 0 796 868 suggests use of a hydroxypropylated and cross-linked waxy potato starch to increase the viscosity of a food product.

However, none of these provide indications on how to avoid using starches in today's baking-industry which generally have low- or insufficient stability to heat and compromise at least the palatability, texture, appearance or other related aspects of baking products.

In a much preferred embodiment of the invention a filling or topping is provided wherein said heat-stable tuber or root starch is a cross-linked starch such as a di-starch

phosphate or a di-starch adipate. Crosslinking starch is in itself a method available to the artisan, various cross-linking agents are known, examples are epichlorohydrin, sodium trimetaphosphate (STMP), phosphorous oxychloride (POCl<sub>3</sub>), acrolein, adipic anhydride (Adip) or other reagents with two or more anhydride, halogen, halohydrin or epoxide groups or combinations which all can be used as crosslinking agents. Typical and often preferred examples of such a cross-linked starch are di-starch-phosphate or di-starch-adipate.

10 In yet another embodiment of the invention a filling or topping is provided wherein said tuber or root starch is a stabilised starch such as a starch acetate. Stabilisation by hydroxyalkylation of starch is for example obtained with reagents containing a halogen, halohydrin, or epoxide group as reactive site. Other reagents are for example 1-octenyl succinic anhydride, sodium tripolyphosphate, potassium orthophosphate, sodium orthophosphate or orthophosphoric acid.

20 In one embodiment of the invention said starch is stabilised by hydroxypropylation, for example using propylene oxide. In a preferred embodiment of the invention, said starch is a stabilised starch in which some or all of the available hydroxyl groups of the amylopectin molecules have been esterified by acetyl groups. The addition of acetyl groups is generally done in aqueous suspensions of starch using acetic anhydride, succinic anhydride or vinyl acetate as reactants under alkaline conditions. A typical and often preferred example of such a stabilised starch is a starch-acetate.

30 Crossbonding and/or stabilising reagents are reacted with starch under alkaline conditions. Suitable alkali materials are: sodium hydroxide, potassium hydroxide, ammonium hydroxide, magnesium hydroxide, sodium carbonate and trisodium phosphate. Preferred are the alkali metal



hydroxides and carbonates, most preferred are sodium hydroxide and sodium carbonate. Sometimes salts are added as to prevent swelling under alkaline reaction conditions. Preferred are sodium chloride and sodium sulfate.

5 Crossbonded starch acetates comprised in a heat stable starch provided by the invention in general have an acetyl content which corresponds to a DS or degree of substitution of 0.001 to 0.2, preferably from 0.03 to 0.092, most preferably from 0.05 to 0.092. The term DS used herein  
10 indicates the average number of sites per anhydroglucose unit of the starch molecule in which there are substituent groups.

Crossbonded hydroxypropylated starches comprised in a heat stable starch provided by the invention have in general  
15 a hydroxypropyl content which corresponds to a DS of 0.001 to 0.3, preferably, 0.03 to 0.21, most preferably 0.06 to 0.21. Heat-stable distarch-acetate may for example be crossbonded with 0.001 to 0.024% of adipic anhydride, preferably with 0.01 to 0.12%. Prior to crossbonding with  
20 adipic anhydride the starch may be treated with hydrogen peroxide and/or peracetic acid. Preferably with a quantity which corresponds with 0.001% to 0.045% of active oxygen, most preferably with 0.005 to 0.45%. Heat-stable distarch phosphate may for example be crossbonded with sodium  
25 trimetaphosphate up to such a degree that the residual phosphate is no more than 0.14% for an amylopectin potato starch or 0.4% for other root and tuber starches. Preferably the starch is crossbonded with 0.01% to 0.25% of sodium trimetaphosphate, most preferably with 0.25 to 0.15%, under  
30 conditions known to the artisan. Of course it is always possible for the artisan to find conditions in which the reactants react with a very low yield, outside of the preferred conditions resulting in heat-stable starches with the derived properties.

35 Heat-stable distarch phosphate may as well be crossbonded with phosphorous oxychloride up to such a degree

that the residual phosphate is not more than 0.14% for an amylopectin potato starch or 0.4% for other root and tuber starches. Preferably the starch is crossbonded with 0.0001% to 0.01% of phosphorous oxychloride, under conditions known to the artisan. Of course it is always possible for the artisan to find conditions in which the reactants react with a very low yield, outside of the preferred conditions, resulting in heat-stable starches with the derived properties.

10 In a preferred embodiment a filling or topping comprising a heat-stable instant starch is provided by the invention, which for example allows application in cold-prepared fruit fillings to bind fruit juice or in bakery jams and application in cold-mix bakery creams, providing a high  
15 viscosity and a smooth creamy texture. Furthermore, the invention provides use of said heat-stable instant starch in instant pastry or cake mixes and such.

In general starch and starch derivatives for the food industry are insoluble in cold water. Viscosity and water  
20 binding is achieved by heating or cooking. These starches are referred to as cook-up starches. For convenience starches are sometimes pregelatinised i.e. precooked and dried. These starches are referred to as instant starches and perform without heating or cooking in the food stuff. Pre-  
25 gelatinisation can be achieved by spray cooking, spray drying, roll drying, drum drying, extrusion, heating in aqueous water miscible organic solvents or under high pressure or with other methods known in the art.

Provided by the invention is for example a filling or  
30 topping wherein the starch present is a tuber or root starch having an amylopectine:amylose ratio of at least about 90:10. Such a filling or topping is for example further composed of non-starch products such as meat, eggs, milk, aroma's, and finds for example application in savoury snack fillings or  
35 toppings wherein a heat-stable starch according to the

invention is the only starch source. In such a topping or filling, also other desired properties of a starch in general may be used to arrive at a product with palatable texture and appearance.

5       The invention also provides a filling or topping comprising a heat stable starch according to the invention which is further comprising a starch having an amylopectine:amylose ratio of less than 90:10. In general, fruit fillings comprise fruit or fruit remains that contain  
10 the usual starches not having amylopectine:amylose ratio's found in heat stable starches. It is furthermore possible to use commonly used starches in fillings or toppings to provide the product with certain, for example desired viscosity characteristics next to using a heat-stable starch according  
15 to the invention to arrive at a desired stability. Moreover, products, such as fillings containing for example potato mash or even potato slices for savoury snacks will benefit from using a heat-stable starch according to the invention, having been provided with better stability, for example upon baking.

20       In yet another embodiment of the invention a filling or topping according to the invention is provided further comprising a hydrocolloid such as an alginate pectin or gelatin. In the experimental part it is demonstrated that for example the gel strength and resistance to baking of a bakery  
25 product such as a bakery cream or fruit filling, prepared with a heat stable starch according to the invention is in general higher than the gel strength of a bakery cream prepared with common potato starch or waxy maize starch despite the fact that the viscosity of the different starches  
30 in the various preparations is about the same or at least comparable. This results in very favourable bake-out percentages. For example, in bakery cream comprising a hydrocolloid such as an alginate which is not highly stable upon baking, a heat stable starch according to the invention  
35 shows far superior baking stability (bake-out percentages

i.e. 2, 11, 9, 16) over the baking stability obtained with common potato starch (31, 28, 26) and waxy maize starch (24, 18).

To get comparable results with common potato starch or waxy maize starch, it is necessary to include a much more heat-stable hydrocolloid in the recipe. Only than it is possible to obtain bake-out percentages for these products (i.e. 9, 9, 8, 8, 2) that are obtained with a heat-stable starch according to the invention using a more modestly stable hydrocolloid.

The invention furthermore provides use of a tuber or root starch having an amylopectine:amylose ratio of at least 90:10 for producing a filling or topping for a bakery product, for example for improving the baking stability of a starch-containing filling or topping for a bakery product such as a bakery cream, fruit or pie filling, topping or glaze. Such use comprises adding to said filling or topping a heat-stable starch according to the invention for example containing less than about 10-5% amylose molecules. Herewith the invention provides a method wherein the texture and palatability of said bakery good comprising such a cream, (fruit-) filling, topping or glaze after baking is improved over a texture and palatability seen when using commonly used starches or starch derivatives.

For example, as demonstrated herein in the examples, a heat-stable starch providing stability as provided by the invention provides far better gel-strength or viscosity after baking (expressed as baking stability, bake-out or as the ratio of viscosity before and after baking) to a bakery cream or fruit filling than commonly used starches do. This not only gives the bakery product a taste advantage over commonly used waxy corn starch but also allows for reducing the starch dosage that is considered necessary altogether or allows for using less alginates, or using only modestly heat-stable

alginate, allowing for inexpensive production of bakery goods.

In a preferred embodiment the invention provides use according to the invention wherein said tuber or root starch comprises a potato starch. Use of heat-stable starch as provided by the invention is preferably done with root or tuber-derived amylose-free or amylopectin native starches such as obtainable from potato starch, tapioca, sweetroot starch, yam starch, canna starch or manihot starch. In one embodiment of the invention such a tuber or root starch is derived from an amylose free potato mutant, as described above. In another embodiment of the invention such a root or tuber starch is derived from a genetically modified plant, for example from a genetically modified potato plant variety. Examples of such a potato plant variety are the variety Apriori or Apropect, or varieties derived thereof.

The invention also provides use of a heat stable starch according to the invention in a bakery cream, where it provides excellent baking stability, reducing bake-out percentages as explained above and use of a heat stable starch in a fruit filling, reducing viscosity loss or improving viscosity upon baking.

The invention furthermore provides a bakery product comprising a starch-containing filling or topping according to the invention. Examples of such bakery products vary from savoury snacks to pastry, and from pizzas to fruit pies, and include pre-made or ready-made bakery cream, pre-made filling such as a fruit- or pie-filling, topping, glaze, pastry or cake mix comprising a heat-stable starch according to the invention. These, and many other comprising a topping or filling comprising a heat stable starch have improved appearance and texture over products made with commonly used starches.

The invention furthermore provides a tuber or root starch having an amylopectine:amylose ratio of at least 90:10 for use in a filling or topping for a bakery product. In a preferred embodiment, said starch is a potato starch, as exemplified in the experimental part of the description.

Also, the invention provides use of heat-stable starch or derivatives derived from said starch in bakery products and bakery half-products. In addition the invention provides a method for providing heat-stability to bakery cream, (fruit) filling, topping, glaze, pastry mix or cake mix comprising use of heat stable starch or derivatives derived from said starch. The baking stability of a cream or other product may now be improved by applying a heat-stable starch according to the invention instead of by applying an alginate or other hydrocolloid with a higher temperature resistance, or by using excess alginate, therewith now avoiding end-products with a less desirable texture due to the hydrocolloid content.

The invention is further explained in the experimental part of this description without limiting the invention thereto.

### Experimental part

#### 25 Methods

Starches used are common potato starch (PS), waxy corn (maize starch (WMS) and amylose free or amylopectin potato starch (APS) containing essentially only amylopectin molecules.

30

#### Recipe instant bakery cream I:

	%	g
Instant modified starch	20.00	80.0
Whole milk powder	30.00	120.0
35 Powdered sugar	47.50	190.0

13

Alginate blend*	2.25	9.0
Colour/vanilla flavour	0.25	1.0

- \* Lacticol F336 which less stable towards baking or Lacticol  
 5 F616 which is more stable and known to cause less bake-out.  
 (Supplier Danby food ingredients.)

Preparation procedure:

- 10 - The dry ingredients are blended.  
 - The powdered mix (400 g) is added to 1000 ml tap water  
 and stirred for 3 minutes using a Hobart mixer (high speed).

Recipe instant bakery cream II:

	%	g
15 Instant modified starch	122.50	90.0
Powdered sugar	42.50	170.0
Dextrose monohydrate	10.50	42.0
Low fat milk powder	16.75	67.0
20 Vanalata*	6.00	24.0
Alginate blend*	1.50	6.0
Colour/vanilla flavour	0.25	1.0

\*Supplier Kievit

25 \*\*Lacticol F616

Preparation procedure

- The dry ingredients are blended.  
 30 - The dry mix is added to 1000 ml of tap water and stirred in  
 a Hobart mixer for:  
 1 minute level 1  
 1 minute level 2 and  
 30 sec at level 1

35

**Recipe fruit filling III**

	%	g
- Powdered sugar	7	15
- Instant modified starch	3,7	8
5 - Apple juice	89,3	192

**Preparation procedure**

The dry ingredients are blended. The powdered mix (23 g) is added to the apple juice (192 g) and stirred with a hand mixer at speed 1 for 20 seconds. The viscous mass is transferred to a 250 ml beaker and placed in a temperature controlled waterbath at 20 °C for 30 min.

**Baking stability for recipe I and II, expressed as percentage  
15 bake-out**

Baking stability is measured by measuring the bake-out (liquefaction and subsequent elongation of the diameter during and after the baking process) of a slice of bakery cream of 6.3 cm upon baking for 10 (recipe I) or 20 min (recipe II) at 200°C. Bake-out is expressed as the percentage of elongation of the diameter of said slice of bakery cream seen after baking. The lower the percentage bake-out is, the better is the baking stability of the cream.

**25 Baking stability for recipe III**

The viscosity of the filling is measured with a Brookfield LVF. The mixture is baked in an oven at 175 °C for 45 min. The viscosity is measured again. The baking stability is expressed as the ratio of the viscosity before and after baking. The lower the ratio the better the baking stability.

**35 Gel strength**

Gel strength is measured using a Brookfield HAT or a Stevens.



**Results**

Table 1. Properties of products A-I in recipe I  
using Lacticol F336 (Brookfield HAT)

5

Product	Starch	Modification	Viscosity mPas	Bake-out %
A	PS	STMP/Ac	120000	31
B	PS	STMP/Ac	118000	28
C	PS	STMP/Ac	114000	26
D	WMS	Adip/Ac	100000	24
E	WMS	Adip/Ac	128000	18
F	APS	Adip/Ac	174000	2
G	APS	Adip/Ac	164000	11
H	APS	STMP/Ac	158000	9
I	APS	Adip/Ac	not meas.	16

Table 2. Properties of products A-H in recipe I  
using Lacticol F616 (Brookfield HAT)

Product	Starch	Modification	Viscosity mPas	Bake-out %
A	PS	STMP/Ac	136000	9
B	PS	STMP/Ac	146000	9
C	PS	STMP/Ac	127000	8
D	WMS	Adip/Ac	129000	8
E	WMS	Adip/Ac	134000	2
F	APS	Adip/Ac	171000	0
G	APS	Adip/Ac	160000	0
H	APS	STMP/Ac	182000	2

10

Table 3. Properties of products A-H in recipe II  
using Lacticol F336 (Stevens)

Product	Starch	Modification	Viscosity		Bake-out <sup>1</sup>	
			mPas	%	mPas	%
A	PS	STMP/Ac	130	55	200	51
B	PS	STMP/Ac	130	55	220	55
C	PS	STMP/Ac	130	60	200	62
D	WMS	Adip/Ac	150	54	220	55
E	WMS	Adip/Ac	140	47	210	50
F	APS	Adip/Ac	230	21	330	17
G	APS	Adip/Ac	220	34	330	28
H	APS	STMP/Ac	210	24	300	22

<sup>1</sup> Bake-out was measured of bakery cream baked directly after preparation.

<sup>2</sup> Bake-out was measured of bakery cream baked one hour after preparation.

Table 4 baking stability of products in recipe III

Product	Starch	Modification	Viscosity mPas		ratio
			before	after	
A	PS	STMP/Ac	2180	3920	0,6
B	PS	STMP	7780	6080	1,3
I	APS	Adip/Ac	960	8140	0,2
J	APS	Adip/Ac	3600	13400	0,3
K	PS	Adip/Ac	5940	8700	0,7

CLAIMS

1. A starch-containing filling or topping for a bakery product wherein said starch comprises a tuber or root starch having an amylopectine:amylose ratio of at least about 90:10.
2. A filling or topping according to claim 1 having improved stability.
- 5 3. A filling or topping according to claim 1 or 2 having improved heat stability.
4. A filling or topping according to anyone of claims 1 to 3 wherein said tuber or root starch comprises a potato starch.
- 10 5. A filling or topping according to anyone of claims 1 to 4 wherein said tuber or root starch is derived from a genetically modified plant.
6. A filling or topping according to anyone of claims 1 to 5 wherein said tuber or root starch is a cross-linked starch.
- 15 7. A filling or topping according to anyone of claims 1 to 6 wherein said tuber or root starch is a stabilised starch such as a starch acetate.
8. A filling or topping according to anyone of claims 1 to 7 wherein said tuber or root starch is an instant starch.
- 20 9. A filling or topping according to anyone of claims 1 to 8 wherein said starch is a tuber or root starch having an amylopectine:amylose ratio of at least about 90:10.
10. A filling or topping according to anyone of claims 1 to 8 further comprising a starch having an amylopectine:amylose ratio of less than 90:10.
- 25 11. A filling or topping according to anyone of claims 1 to 10 further comprising a hydrocolloid.
12. Use of a tuber or root starch having an amylopectine:amylose ratio of at least 90:10 for producing a filling or topping for a bakery product.
- 30

13. Use according to claim 12 wherein said tuber or root starch comprises a potato starch.
14. Use according to claim 12 or 13 wherein said tuber or root starch is derived from a genetically modified plant.
- 5 15. Use according to anyone of claims 12 to 14 in a bakery cream or fruit filling.
16. A bakery product comprising a starch-containing filling or topping according to anyone of claims 1 to 11.
17. Tuber or root starch having an amylopectine:amylose ratio  
10 of at least about 90:10 for use in a filling or topping for a bakery product.

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/NL 99/00477

**A. CLASSIFICATION OF SUBJECT MATTER**  
 IPC 7: A23L1/0522

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)  
 IPC 7 A23L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 796 868 A (NAT STARCH CHEM INVEST) 24 September 1997 (1997-09-24) cited in the application page 2, line 1 - page 4, line 25 example 12 ---	1-7, 9, 12-17
X	VRIES DE J A: "NIEUWE MOGELIJKHEDEN MET AMYLOPECTINE-AARDAPPELZETMEEL" VOEDINGSMIDDELEN TECHNOLOGIE, vol. 28, no. 23, November 1995 (1995-11), page 26/27 XP002063172 the whole document ---	1-5, 9, 12-17
X	EP 0 799 837 A (AVEBE COOP VERKOOP PROD) 8 October 1997 (1997-10-08) page 4, line 13 - line 24 ---	1-5, 8, 12-17
	-/--	

Further documents are listed in the continuation of box C.  Patent family members are listed in annex.

\* Special categories of cited documents :

<p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p>	<p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"&amp;" document member of the same patent family</p>
--	--

Date of the actual completion of the international search  <p style="text-align: center;">27 October 1999</p>	Date of mailing of the international search report  <p style="text-align: center;">08/11/1999</p>
---	---

Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk	Authorized officer
--	--------------------

INTERNATIONAL SEARCH REPORT

In tional Application No  
PCT/NL 99/00477

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>PATENT ABSTRACTS OF JAPAN vol. 012, no. 230 (C-508), 29 June 1988 (1988-06-29) &amp; JP 63 022148 A (ASAHI DENKA KOGYO KK), 29 January 1988 (1988-01-29) abstract -&amp; DATABASE WPI Derwent Publications Ltd., London, GB; AN 1998-067900 XP002120408 A abstract</p>	<p>1-3, 10-17</p>
X	<p>WO 92 11376 A (AMYLOGENE HB) 9 July 1992 (1992-07-09) page 12, line 17 - line 37 examples 3-6</p>	<p>17</p>

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No.

PCT/NL 99/00477

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0796868    A	24-09-1997	AU 1644897 A	25-09-1997
		CA 2200768 A	22-09-1997
		JP 2893003 B	17-05-1999
		JP 10007842 A	13-01-1998
EP 0799837    A	08-10-1997	NL 1002782 C	09-10-1997
JP 63022148    A	29-01-1988	JP 6095884 B	30-11-1994
WO 9211376    A	09-07-1992	SE 467358 B	06-07-1992
		AU 9114891 A	22-07-1992
		CA 2098171 A	21-06-1992
		EP 0563189 A	06-10-1993
		EP 0788735 A	13-08-1997
		EP 0921191 A	09-06-1999
		FI 932804 A	17-06-1993
		HU 66754 A	28-12-1994
		JP 6507064 T	11-08-1994
		PL 169848 B	30-09-1996
US 5824798 A	20-10-1998		